

REMARKS

Claims 20-21 are pending in this application. Claims 1-19 were previously canceled.

Claim Rejections - 35 U.S.C. § 112

Claims 20 and 21 have been rejected under 35 U.S.C. § 112, first paragraph, as failing to comply with the written description requirement.

With respect to claim 20, the Examiner states that he does not find support for a temperature of 500°C or higher.

Claim 20 has been amended to claim:

wherein said charging step includes the step of carrying out the thermal treatment at a temperature not lower than 450°C and not higher than 700°C, such that a grouped metal constituting said housing shells does not melt to overcome this rejection.

Applicants respectfully submit that, as the Examiner acknowledged in the Office Action, support for the foregoing limitations can be found at least in page 10 of the specification as filed and page 8 of the substitute specification.

The Examiner is respectfully requested to reconsider and withdraw this rejection.

Claim Rejections - 35 U.S.C. § 103

Claims 20 and 21 have been rejected under 35 U.S.C. § 103(a) as being unpatentable over Fukabori et al. (USP 5,849,062) in view of Morey (USP 4,362,276). This rejection is respectfully traversed.

In the claimed invention of the present application, the “charging step includes the step of carrying out the thermal treatment at a temperature not lower than 450°C and not higher than 700°C, such that a grouped metal constituting said housing shells does not melt.”

In the Office Action, the Examiner states that Fukabori discloses igniting gas generators by heating at a temperature between 150 and 450°C to ignite and completely burn the gas generating agent.

The Examiner also relies on the Morey reference to show that it is known in the art to cut and remove the wiring harness at the root portion of the wiring harness.

Therefore, even assuming that Fukabori and Morey can be combined, which Applicants do not admit, one skilled in the art would, at best, conceive a high temperature treating method, in which the inflators to be processed are heated at a temperature between 150 and 450°C.

Accordingly, Fukabori and Morey, taken singly or in combination, fails to disclose or suggest the step of “carrying out the thermal treatment,” as recited in claim 20.

Claim 21, dependent on claim 20, is allowable at least for its dependency on claim 20.

The Examiner is respectfully requested to reconsider and withdraw this rejection.

#### Conclusion

Accordingly, in view of the above amendments and remarks, reconsideration of the rejections and allowance of the pending claims in the present application are respectfully requested.


The Examiner is respectfully requested to enter this Reply After Final in that it raises no new issues. Alternatively, the Examiner is respectfully requested to enter this Reply After Final in that it places the application in better form for Appeal.

Should there be any outstanding matters that need to be resolved in the present application, the Examiner is respectfully requested to contact Maki Hatsumi (#40,417) at the telephone number of the undersigned below, to conduct an interview in an effort to expedite prosecution in connection with the present application.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or to credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Dated: November 30, 2006

Respectfully submitted,

By  (reg # 40,417)  
for Terrell C. Birch  
Registration No.: 19,382  
BIRCH, STEWART, KOLASCH & BIRCH, LLP  
8110 Gatehouse Road  
Suite 100 East  
P.O. Box 747  
Falls Church, Virginia 22040-0747  
(703) 205-8000  
Attorney for Applicant